



Job Name: _____

Type: _____

Part #: _____

Notes: _____

HCIT4 LED Series

Wide Body Vaportite Unit

This fully weatherproof LED unit is designed for use in areas of wet location. Designed to withstand direct contact with rain this unit is corrosion resistant and waterproof. This unit is ideal in areas such as car washes, store fronts, parking garages, kitchens, and chemical plants. Vapor Tite unit is capable of being hosed down for easy cleanin

Construction: Exterior housing is designed for single piece injection molded fiberglass/plastic combination blend. Neoprene gasket and stainless steel pressure locks ensure waterproof seal. Interior gear tray is heavy gauge die formed steel which hinges to allow electrical raceway access while remaining attached to luminaire housing during installation and maintenance.

ELECTRICAL: All units are furnished with UL Listed Class P thermally protected ballast. Other voltages are available upon request. Fixtures meet requirements for UL Luminaire Standard # 1598. All units comply with National Energy Standard. All units are UL certified damp and wet location

Mounting: Vapor Tite Unit available with an stainless steel external hanging bracket. VT Series is watertight and must be drilled and sealed for each surface mounting or chain hanging application.

WARRANTY & LISTINGS:

year arra tyo a ee tro sa o s .
ert e or ampa et o ato



Fixture Length

T8	T5	T5HO	Length
F32T8	F28T5	F54T5HO	50"

O D [Z H L J KEW /

RF	20									
RC	80%				70%				50%	
RW	70	50	30	10	70	50	30	10	50	30
0	109	109	109	109	107	107	107	107	101	101
1	98	93	89	84	95	91	86	83	86	83
2	89	80	73	67	86	78	72	66	74	69
3	81	70	62	56	78	68	61	55	65	59
4	74	62	53	47	71	60	52	46	57	51
5	67	54	45	39	65	53	45	38	50	43
6	61	48	39	33	59	47	39	33	45	38
7	56	43	35	29	54	42	34	28	40	33
8	52	39	30	25	50	38	30	24	36	29
9	48	35	27	21	46	34	25	21	32	25
10	44	31	24	19	43	31	23	18	30	23

K [E] v

z x

Series

z x

F

y

RE

Y

RU

.

SWRQ

0% RHBOVW
5% SWRU
& WHQSDR
RU & WHQSDR
RU/WA
VDVWBWK
RDU
URVWBWRMWDUGV

RDVBPWDQDUGSH
WMH

WDQWRPQSDVWDQDRQ
UFMW